# WHITEPAPER LUCIDUM VS ETL OFFERINGS


Our patented, proprietary sets of machine learning and Al algorithms will triangulate, detect, and classify data faster than a hipster can grow a beard, giving our clients unparalleled visibility across their tech ecosystems-because why should only lumberjacks have the market on thick, impressive layers of analytics?

### DISTINGUISHING LUCIDUM'S SECURITY DATA FABRIC FROM MODERN & LEGACY ETL OFFERINGS

Lucidum's Security Data Fabric offers a robust and scalable solution for data integration and management, leveraging an advanced ETL architecture characterized by API-driven design, modularity, cloud-native deployment, data-driven processing, and self-service capabilities. With over 500 APIs and file format adaptors, the platform facilitates seamless integration across diverse data sources, providing a unified view through a single interface. The modular architecture allows independent deployment and maintenance of ETL functions, simplifying updates and scaling while preserving system performance. Cloud-native features ensure elasticity and global accessibility, while data-driven processing enhances responsiveness. Additionally, intuitive interfaces and low-code/no-code options democratize ETL management, enabling broad user participation. Adhering to standardized API architectures like REST and GraphQL, Lucidum ensures interoperability and reduces integration complexities, offering a comprehensive, future-proof solution for modern data-driven enterprises.

#### **API-Driven**

Traditional ETL tools often relied on fixed processes and specific data formats. Lucidum's security data fabric leverages APIs, allowing for more dynamic and flexible data integration. Lucidum's 500+ security-focused Asset, Identity, Data, and file format integrations connect with the widest array of services and data sources, delivering modern comprehensive coverage to your single pane of glass.



-										
		art Label								
Extra		Center ID								
		issignment taken from asset naming convention. Adju								
Write	a thorough		mart label field. This will help you and others understand	how it works and which benefite						
Confi	gured F	Hules						+		
	Priority	Rule Description		Result Value			Actions			
Ľ	1	Source Asset Name starts with RJ1		RJ1		ΣΕ	3 / T	٦		
L	2	Source Asset Name starts with RJ2		RJ2		ΣΕ	a / T	٥		
ß	3	Source Asset Name starts with SP1	SP1				3 / T	٥		
S	4	Source Asset Name starts with SP2			ΣΕ	3 / T	0			
S	5	Source Asset Name starts with SP3		SP3		ΣΕ	3 / T	۵(		
ß	6	Source Asset Name starts with SP4		SP4		ΣΕ	1	٥		
S	7	Source Asset Name starts with SP5		SP5		ΣΕ	] / [	<b>0</b> :		
S	8	Source Asset Name starts with CL1		CL1		ΣΕ	1/1	đ		
ଜ	a .					╶╴╒				
							Total Rows:	275		
								Σ		
							Cancel	Save		

Figure 1. A SmartLabel showing multiple rules that will be evaluated to set a textual value on asset records.

BF Ed	dit Sma	nrt Label							
- Name Depa	Irtmenta	Owner							
Asso		ernal owner of assets based upon departmental assi	anment of the server/workstation.						
Confi	gured I	Rules							+
	J								
	Priority	Rule Description		Result Value			Acti	ons	
Ł	1	Ned Stark owns all finance, HR and facilities systems		Ned Stark		Σ	⊟	ı	
B	2	Robert Baratheon owns IT, legal and security		Robert Baratheon		Σ	₿	î	
S	3	Jon Snow owns product, marketing, sales and support		Jon Snow		Σ	₿	î	
							То	tal Ro	ws: 3
									1
									Σ
								el	Save

Figure 2. Here we will assign an 'Owner' to assets, depending upon the department that the asset belongs to, that we learned from the data sources we collect from.

Name		Int Label					
- Descri Asso		ernal owner of assets based upon departmental assign	nment of the server/workstation.				
Confi	gured I	Rules				+	
	Priority	Rule Description		Result Value		Actions	
Ł	1	Ned Stark owns all finance, HR and facilities systems		Ned Stark	ΣΕ	] / 🗖	
r S	1	Ned Stark owns all finance, HR and facilities systems Robert Baratheon owns IT, legal and security		Ned Stark Robert Baratheon		3 / O	
	1 2 3					] / 0	
S		Robert Baratheon owns IT, legal and security		Robert Baratheon	ΣΕ	] / 0	
<u>୫</u>		Robert Baratheon owns IT, legal and security Jon Snow owns product, marketing, sales and support		Robert Baratheon	ΣΕ	] / [ ] / [	
හු හු Defa	3 Iult Labe	Robert Baratheon owns IT, legal and security Jon Snow owns product, marketing, sales and support		Robert Baratheon	ΣΕ	Total Rows: 3	

Figure 3. We want to elevate the Lucidum-calculated Risk Score by multiplying that value according to the department that owns the asset. That way the assets will jump to the top of Risk reports.

Executive View: Asset Ris Provide high-level view of risk associate		wners				6	] / [
Latest Asset Name	Lucidum OS Version	Person Full Name	Departmental Owner	Vulns Compact	↓ Risk Score	Adjusted Departmental Risk	
CWATKINS-QHD50TX	Windows Server 2016	Clyde Watkins	Jon Snow	Critical2 / High 2 / Medium 4 / Low 2		104	>
ASHARP-SGUCNO0	Windows Server 2012	Ashley Sharp	Ned Stark	Critical1 / High 5 / Medium 3 / Low 1	51.96	156	>
I-F70TP8BYDE3NX06Z2	Windows 10	Flora Black	Robert Baratheon	Critical3 / High 4 / Medium 10 / Low 1	49.19		>
JUMANZOR-T3TUO7B	macOS 10.8	Jerry Umanzor	Ned Stark	Critical2 / High 6 / Medium 2 / Low 2		102	>
MDOWNING-E6JM5TU	macOS 10.15	Miguel Downing	Jon Snow	Critical2 / High 9 / Medium 4 / Low 1	33.54		>
RBORDELON-71MAEL8	Windows Server 2019	Rob Bordelon	Jon Snow	Critical2 / High 6 / Medium 4 / Low 1			>
CRUSSO-EIW4UOM	Windows Server 2019	Charles Russo	Ned Stark	Critical2 / High 5 / Medium 3 / Low 1			>
KWINSTON-C2JHN7P	macOS 10.15	Kimberly Winston	Ned Stark	Critical3 / High 4 / Medium 2 / Low 1	20.78		>
WRIDLEY-KYQG3LI	macOS 10.15	Wilfred Ridley	Ned Stark	Critical1 / High 4 / Medium 3 / Low 1		60	>
GTHOMPSON-24AAWFH	Windows XP	Gordon Thompson	Ned Stark	Critical2 / High 3 / Medium 5 / Low 1			>
LKING-HTF1PM4	Windows Server 2012	Leigh King	Jon Snow	Critical1 / High 6 / Medium 4 / Low 1	17.89	36	>
GHARDISTER-Y4LK301	Windows Server 2016	Gary Hardister	Robert Baratheon	Critical2 / High 3 / Medium 3 / Low 1	17.89		>
RMACK-Z0O1JQT	Windows Server 2019	Rosemarie Mack	Ned Stark	Critical2 / High 5 / Medium 5 / Low 1			>
					Rows per p	age: 500 🗸 1-21 of 21	

Figure <sup>4</sup>. Here we see the Owner field displayed in a tabular view of assets, along with the original and newly elevated Risk Scores that we modified using SmartLabels.

O I _source+"Demo	log 2024	and _collector*'Locidum'												⊙ -15m 0	0 0 0
9									and the second se						500 e mito 8 -07HE
12:17 444	1218444	12.59 AM	11.00 AM		11 01 AM	TAM 1103	AM 1154	ABA	1105 AM 1105 AM 1107 A	2 868	1158.44	11:09 448	1110.448	1111.84	
06/27/2824 19/87 00 AM 6400						STATUS Done	ELAPSED TWE (000001	RESULTS 346	SESSION 4244E70F4654978E LOAD . I					BN/27/282411/2/08 AM	6400
esages													the	Hide Histogram 🗰 Hile Log	Levela / Maximiza
Bearch		1 of 14 y	> LogReduce	LogCompan	* ~									Dep	and All Rows 🗸
		latest_seest_name D	enticel, value 2	department D	location (2	lucidum_asset_t_ D	Notidum_on_version 11	disk, level 10	Message C						
critical_vulns =	-	1 I-ZSHOCQXXXY39781	1		Oregon	Server	Rindows XP	1-low	View mt Rue C Critical Valma: 2, Data Source: + [],						
department /									Department: mull, High Yuden; mull,						
									IF Address + C 3.						
location #	48								Latest Asset Name: "I-ZDHOCOGRCVTV35781", Location: "Dragon",						
kicklum_ksset_type /									Low Vulka: null, Lucidum Asset Type: "Servar",						
Lucidum_os_version :	14								Lucidum OS Catagory, "Microsoft Windows", Lucidum OS Version, "Microsoft X?",						
dak_level -									Lucidum Status: "Drline", Wedium Vulms, 2						
Message >									Hisk Factors: + []. Hisk Level: "1-los".						
dden Fields									Risk Lovel ' Con', Risk Harking: 24, Source Asset Name: = [].						
									Source Asset Name: > [], Vulnerabilities :Locidum Verified Risk: mill						
Time 0															
Collector =									must demo.locidum.cloud + Muss Mttp Input + Cate	Lugory Locidum Dem	s Server + Inias	umologic_default =			
Joglevel >	- 1	1 2-JAHL S2KR00007021	2	Product	Alturas, California	Server -	Uborta Linux 16.04	2-medium	York at Roc						
Size /									Critical Valma: 2.						
Source #									Data Sources: > [], Department: "Product",						
Source Category =									Nigh Vulna: 3. 1P Address: » [].						
Source Host									Latest Asset Name: "1-JANISIANEADHBUTU21". Location: "Alturas, California".						
Source Name #									Lee Vales roll. Locidus Asset Type "Server".						
data_sources +									Lucidum 05 Category "Linux",						
high_vulns /									Locidum OS Version "Obuntu Linux 16.04". Locidum Status: "Generic".						
									Medium Pules mull. Mink factors = [].						
low_vulns -	7 I.								Rink Level: "2-medius", Rink Ranking: 55,						
lucidum_os_category =									Source Asset Name: > [], Yulmerabilities: Locidum Verified Risk: muli						
lucidum_status =									5 CO						
medium_vulna =									Heat damo lucidum cloud + Huns Http Input + Cats	terry Lucidue Dee	sterver - Thiles a	umologic default -			
insk_factors =	71	1 1-101V30NGR1CE0CKU4		. 17	Alturas, California	Server	Rindows XP	2-medium	View at Bar						
nsk_ranking #	- 1								Critical Volve: 3.						
source_asset_name =	146.								Data Sources: + []. Department: "IT"						
									High Vulna: 2. IP Address = {}						
									Latest Asset Name: "1-FEVV309GRICEOCKU4",						
									Location: "Alturas, California", Low Vulna: mull,						
									Lucidum Asset Type "Server", Lucidum OS Category "Wacropolt Windows",						

#### **Concrete Solution Requirements**

Lucidum's security data fabric deploys each ETL job (extraction, transformation, and loading) as a separate scheduled job that can be executed based on time of day, data trigger, or as a run-now service. This modular approach makes it easier to maintain, update, and scale specific components according to your needs without complexity or harming system performance and integrity. Differing from stock, off-the-shelf pipelines, Lucidum's unique data-as-a-product delivery includes broad technological integrations and is supported with different and complementary methods as a distinct data fabric architecture pattern (Hechler, Weihrauch, and Yu, 2023).

#### **Cloud-Native**

Lucidum's security data fabric is designed to operate in cloud environments, offering advantages such as elasticity, global accessibility, and integration with other cloud-native services. Lucidum's cloud native security data fabric is accessible via SaaS that reduce the operational overhead.

#### **Data-Driven Processing**

Lucidum's security data fabric supports data-driven processing and SmartLabelstm, where data transformations and loads are triggered by specific ingested triggers or changes in the source data and automatically transformed according to your predefined, variable-driven rule sets. This reduces latency and improves the responsiveness of the data pipeline.

#### **Self-Service Capabilities**

Lucidum's intuitive interfaces and low-code/no-code options enable rapid value delivery, including allowing non-technical users to design and manage security data fabric processes without needing deep technical knowledge. This democratizes data access and processing. These include the five core requirements (Dhatterwal, Kaswan, and Jaglan, 2023):



Control: securing your data, your way, wherever it resides

*Choice:* complete autonomy to modify services, distribution, storage, and deployment

*Integration:* broadest possible (unlimited) security and information technologysources

Access: your data at the right place, time, format, for your desired use cases and value

*Consistency:* multiple stores of data are managed with the same fabric and procedures

#### **Support for Big Data and Advanced Analytics**

The architecture is designed to handle big data technologies and integrates well with advanced analytics platforms, enabling organizations to derive insights from large and complex datasets. Lucidum's patented machine learning transform modules solve the 'digital twin' problem (Macias et al, 2024) including the disambiguation of tombstones and ghosts, ensuring complete, consolidated data validity.

#### Interoperability and Standardization

APIs used by Lucidum Security adhere to standardized protocols (e.g., REST, GraphQL), ensuring that they can interact seamlessly with other systems and services. This promotes interoperability and reduces integration complexities, whether you want to push or pull.

#### Conclusion

In today's rapidly evolving digital world, Lucidum's Security Data Fabric is your ultimate solution for seamless and efficient data integration and management. Our advanced ETL architecture combines cutting-edge API-driven design, modular flexibility, and cloud-native deployment to offer a powerful, scalable solution tailored for modern enterprises. With over 500 APIs and file format adaptors at your disposal, Lucidum effortlessly connects with a diverse range of data sources, providing you with a unified and



comprehensive view of your data ecosystem. Our modular approach ensures that each ETL function–extraction, transformation, and loading–can be independently deployed and scaled, making updates and maintenance straightforward and hassle-free.

The cloud-native design delivers unmatched elasticity and global access, while event-driven processing enhances the responsiveness of your data pipelines. Plus, our intuitive interfaces and low-code/no-code options empower users across your organization to manage ETL processes with ease. Choose Lucidum's Security Data Fabric for a flexible, future-proof solution that meets the demands of today's data-driven landscape and positions your business for success.

#### Bibliography

Dhatterwal, J. S., Kaswan, K. S., & Jaglan, V. (2023). 4 Data Fabric Technologies and Their Innovative Applications. Data Fabric Architectures: Web-Driven Applications, 61.

Hechler, E., Weihrauch, M., & Wu, Y. (2023). Data fabric architecture patterns. In Data Fabric and Data Mesh Approaches with AI: A Guide to AI-based Data Cataloging, Governance, Integration, Orchestration, and Consumption (pp. 231-255). Berkeley, CA: Apress.

Macías, A., Muñoz, D., Navarro, E., & González, P. (2024). Data fabric and digital twins: An integrated approach for data fusion design and evaluation of pervasive systems. Information Fusion, 103, 102139.

